

Amendment 3 to Council Bill No. 38-2019

BY: Liz Walsh

Legislative Day No. 12

Date: October 7, 2019

Amendment No. 3

(This amendment removes the proposal that Patapsco Lower North Branch Watershed and clarifies references to “2016 peak flood conditions”.)

1 On page 2, strike line 9, in its entirety.

2

3 On page 15, strike lines 13 and 14, in their entirety, and substitute:

4 “(b) Exemptions. Stormwater management is not required for:”.

5

6 On the same page, strike lines 21 – 24, in their entirety.

7

8 On page 16, strike lines 21 - 22, in their entirety, and substitute the following:

9 “(5) DEVELOPMENT WITHIN THE PATAPSCO LOWER NORTH BRANCH WATERSHED SHALL
10 BE REQUIRED TO PROVIDE PEAK MANAGEMENT CONTROL FOR 24-HOUR, 10-YEAR STORM
11 EVENTS AND 24-HOUR, 100-YEAR STORM EVENTS, AS WELL AS 3.55-HOUR, 6.6-INCH STORM
12 EVENTS. MANAGEMENT IS DEFINED AS THE REDUCTION OF THE PEAK RUNOFF FOR THE
13 PROPOSED DESIGN CONDITION TO BE EQUAL OR LESS THAN THE PREDEVELOPED SITE
14 CONDITIONS MODELED AS WOODS IN GOOD CONDITIONS.”.

15

16 On page 18, in line 14, strike “. NO” and substitute “, AND NO”.

17

18 On the same page, strike beginning after the period in line 15 through the period in line 16, and

1 substitute the following:

2 “DEVELOPMENT WITHIN THE PATAPSCO LOWER NORTH BRANCH WATERSHED SHALL BE
3 REQUIRED TO PROVIDE PEAK MANAGEMENT CONTROL FOR 24-HOUR, 10-YEAR STORM
4 EVENTS AND 24-HOUR, 100-YEAR STORM EVENTS, AS WELL AS 3.55-HOUR, 6.6-INCH STORM
5 EVENTS. MANAGEMENT IS DEFINED AS THE REDUCTION OF THE PEAK RUNOFF FOR THE
6 PROPOSED DESIGN CONDITION TO BE EQUAL OR LESS THAN THE PREDEVELOPED SITE
7 CONDITIONS MODELED AS WOODS IN GOOD CONDITIONS.”

8
9
10
11
12